

Middleforth Church of England Primary School

| Maths Calculation Policy | | | | |
|------------------------------|--|--|--|--|
| Written By Nicola Pilkington | | | | |
| Date October 2024 | | | | |
| Review Date October 2025 | | | | |

Let Your Light Shine - Matthew 5:16

Through the Maths Calculation Policy, the school will promote and teach the values we learn based on the example of the Christian faith:

- Forgiveness
- Respect for self and others
- Reconciliation and redemption
- Truth and honesty
- Trust and fairness
- Tolerance and compassion
- Self-discipline
- Respect for property and the environment
- Politeness

Such values, in turn, promote not only the Christian ethos and aims of Middleforth Church of England Primary School, but assist in the preparation of the children for the responsibilities and duties of adult life.

Vision

As a caring, Christian community, we aspire to 'let our light shine'. We will open up the world to celebrate God's wonderful creation and foster a sense of awe and wonder.

We will nurture our God given talents to ensure that everyone reaches their full potential academically, socially and spiritually.

'Let your light shine Matthew 5.16'




Year 1 Addition



| Objective, Strategy Key Vocabulary | Concrete | Pictorial | Abstract |
|--|---|---------------------------------------|--|
| Comparing Objects, groups of objects Length, weight, mass, heavier, lighter, same, equal | People's height, distance, mass. Use of pan balances using Numicon or similar to show equivalence, < > Comparing multiple objects Use of concrete materials eg. Compare bears, jewels, cubes etc to create groups of different sizes to compare | | |
| Using < > and = Fewer, more, less than, more than, equal to, fewer than | Use a multilink staircase in two colours | 1<3 2 = 2 3>1 | Use variation with missing boxes and missing symbols. 3 4 4 > |
| Finding one more, finding one less | 1 2 3 4 5 6 7 8 9 10 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | One more/less sentences – example one: 1 more than 3 is 1 less than 2 is 1 more than is 1 1 less than is 1 |

| Objective, Strategy & Key Vocabulary | Concrete | Pictorial | Abstract |
|---|---|--|---|
| Adding 1 gives 1 more | First Then Now 3 +1 4 | First Then Now | 6 +1 7 |
| Augmentation— increasing an amount | Use FIRST, THEN, NOW and range of practical situations for showing augmentation. E.g. first there were three chn on carpet then 2 more came. Now there are 5 chn on the carpet. | First Then Now | 4 +3 7 4+3=7 |
| Stories of numbers within 10 | Children should work with doubled sided counters and ten frame. Start with 7 red, turn one over, tell me the 'story'? Turn one more over. What is the 'story'? Continue. Complete this for stories of all numbers up to 10. | 7 + 0 = 7 6 + 1 = 7 5 + 2 = 7 etc Complete for all numbers up to 10 | 7 + 0 = 7 $6 + 1 = 7$ $5 + 2 = 7$ $4 + 3 = 7$ $3 + 4 = 7$ $2 + 5 = 7$ $1 + 6 = 7$ $0 + 7 = 7$ |



Adding I and 2

Bonds to 10

Adding 10

Bridging/ compensating YI facts

Y2
facts

Doubles

Adding 0

Near doubles

| + | 0 | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| 0 | 0 + 0 | 0 + 1 | 0 + 2 | 0 + 3 | 0 + 4 | 0 + 5 | 0 + 6 | 0 + 7 | 0 + 8 | 0 + 9 | 0 + 10 |
| 1 | 1 + 0 | 1+1 | l + 2 | l + 3 | 1 + 4 | l + 5 | l + 6 | 1 + 7 | l + 8 | 1+9 | 1 + 10 |
| 2 | 2 + 0 | 2 + 1 | 2 + 2 | 2 + 3 | 2 + 4 | 2 + 5 | 2 + 6 | 2 + 7 | 2 + 8 | 2+9 | 2 + 10 |
| 3 | 3 + 0 | 3 + I | 3 + 2 | 3 + 3 | 3 + 4 | 3 + 5 | 3 + 6 | 3 + 7 | 3 + 8 | 3 + 9 | 3 + 10 |
| 4 | 4 + 0 | 4+1 | 4+2 | 4 + 3 | 4 + 4 | 4 + 5 | 4+6 | 4 + 7 | 4 + 8 | 4+9 | 4 + 10 |
| 5 | 5 + 0 | 5 + 1 | 5 + 2 | 5 + 3 | 5 + 4 | 5 + 5 | 5 + 6 | 5 + 7 | 5 + 8 | 5 + 9 | 5 + 10 |
| 6 | 6+0 | 6 + I | 6+2 | 6 + 3 | 6 + 4 | 6 + 5 | 6+6 | 6 + 7 | 6 + 8 | 6 + 9 | 6 + 10 |
| 7 | 7 + 0 | 7 + 1 | 7 + 2 | 7 + 3 | 7 + 4 | 7 + 5 | 7+6 | 7 + 7 | 7 + 8 | 7+9 | 7 + 10 |
| 8 | 8 + 0 | 8 + I | 8 + 2 | 8 + 3 | 8 + 4 | 8 + 5 | 8 + 6 | 8 + 7 | 8 + 8 | 8 + 9 | 8 + 10 |
| 9 | 9+0 | 9+1 | 9+2 | 9 + 3 | 9 + 4 | 9 + 5 | 9+6 | 9+7 | 9+8 | 9+9 | 9 + 10 |
| 10 | 10 + 0 | 10 + 1 | 10 + 2 | 10 + 3 | 10 + 4 | 10 + 5 | 10 + 6 | 10 + 7 | 10 + 8 | 10 + 9 | 10 + 10 |



Year 2 Addition



| Objective & Strategy & Key Vocabulary | Concrete | Pictorial | Abstract |
|--|---|--|---|
| Adding multiples of ten | 50= 30 + 20 Model using dienes and bead strings | tens and tens makes tens Use representations for base ten. | 20 + 30 = 50 70 = 50 + 20 40 + \(\pi\) = 60 \(\pi\) + 30 = 50 |
| Use known number facts Part part whole | Children explore ways of making numbers within 20 | 20 | ☐ + 1 = 16 |
| Using known facts | Ted Sam | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 3 + 4 = 7 Leads to 30 + 40 = 70 Leads to 300 + 400 + 700 '3 things and 4 things is always 7 things' |
| Bar model | 3 + 4 = 7 | 8 3 + 5 = 8 | 30 14 16 14 + 16 = 30 |


| Objective, Strategy Key Vocabulary | Concrete | Pictorial | Abstract |
|---|--|---|--|
| Add a two digit number and ones | 17 + 5 = 22 Use ten frame to make 'magic ten Children explore the pattern. 17 + 5 = 22 27 + 5 = 32 | Use part-part-whole and number line to model. $ \begin{array}{cccccccccccccccccccccccccccccccccc$ | $ \begin{array}{c cccccccccccccccccccccccccccccccc$ |
| Add a 2 digit number and tens | 25 + 10 = 35 Explore that the ones digit does not change | 25 + 30 = 55 +10 +10 +10 25 35 45 55 | 27 + 10 = 37 27 + 20 = 47 27 + = 57 = + 30 = 67 |
| Add two 2-digit numbers without bridging. 'Friendly numbers' | Model using dienes , place value counters and numicon Dienes and part-part-whole model: 45 + 23 = 68 | Use number line and bridge ten using part whole if necessary. | 25 + 47 20 + 5 |

| Objective Strategy | | | |
|---------------------------------------|---|--|---|
| Objective, Strategy Key Vocabulary | Concrete | Pictorial | Abstract |
| Add any two 2-digit numbers | Dienes and part-part-whole model: 26 + 37 = 63 + 13 = 63 | 26 + 30 + 7 + 30 + 7 56 60 63 + 4 + 3 | 24 + 38 = $29 +$ $= 51$ $38 + 24 =$ $+ 22 = 51$ |
| Add three 1-digit numbers | | Use language of fist, then, then, now Pictorial: First Then Then Now | 4 + 7 + 6 = 10 + 7 $= 17$ |
| | Combine to make magic 10 first where relevant, or bridge 10 then add third | Use part part whole to show magic ten 2 + 3 + 8 | Combine the two numbers that make/ bridge ten then add on the third. |
| Adding two numbers that bridge 10. | Use double sided counters and ten frames. Move counters to fill the ten frame and make Magic 10 | Show on a number line how 5 is portioned into adding three, then adding 2. | 7 + 5 |



Year 3 Addition







Year 4-6 Addition




| Objective ,Strategy Key Vocabulary | Concrete | Pictorial | Abstract |
|---|---|---|---|
| Y4—add numbers with up to 4 digits | Children continue to use dienes or pv counters to add, exchanging ten ones for a ten and ten tens for a hundred and ten hundreds for a thousand. Thousands hundreds ones ones ones ones ones ones ones one | 7 1 5 1 Draw representations using pv grid. | 2634 + 4517 7141 1 1 Continue from previous work to carry ones, tens and hundreds. Relate to money and measures. |
| Y5—add numbers with more than 4 digits. Add decimals with 2 decimal places, including money. | As year 4 ones tenths hundredths 1 1 01 01 01 01 01 01 01 01 01 01 01 01 | 2.37 + 81.79 tens ones tentes hundredtes 000 000 000 000000000000000000000000 | 22,634 + 15,673 38,307 1 1 f 127.67 + f 38.45 f 166.12 |
| Y6—add several numbers of increasing complexity Including adding money, measure and decimals with different numbers of decimal points. | Some children may need to ruse manipulatives and/or representations for longer. See year 5 | | $ \begin{array}{r} 89,472 \\ 63,673 \\ +3,016 \\ 156,161 \\ \hline 11111 \\ \hline 11111 \\ \\ 1121 \\ \hline 1131 \\ \hline 11437 \\ 0.600 \\ +3.020 \\ \hline 4.057 \\ \hline 1 \end{array} $ |



Year 1 Subtraction








Year 2 Subtraction





| Objective & Strategy | Concrete | Pictorial | Abstract |
|--|---|--|---|
| Subtracting a multiple of 10 | 32 - 10 = 22 Children use dienes, PV | Children draw rods and cubes and cross off multiples of ten. | 64 - 10 = |
| Subtract a single digit from a two digit number No regrouping | 9 29 3 6 3 26 | -3 0 1 2 3 4 5 6 7 8 9 10 9 - 3 = 6 10 11 12 13 14 15 16 17 18 19 20 19 - 3 = 16 | 9 - 3 = 6 19 - 6 = 13 29 - 6 = 23 etc |
| Regroup a ten into ten ones | Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'. | 20 - 4 = 16 | 20— 4 = 16 |
| Partitioning to subtract without regrouping. 'Friendly numbers' | Use Dienes to show how to partition the number when subtracting without regrouping. | 43–21 = 22 Children draw representations of Dienes and cross off. | 43—21 = 22 |



Year 3 Subtraction



| Objective & Strategy | Concrete | Pictorial | Abstract |
|--|--|---|---|
| Column subtraction without regrouping (friendly numbers) | 47—32 Use base 10 or Numicon to model | Draw representations to support understanding | $47 - 24 = 23$ $-\frac{40 + 7}{20 + 3}$ Intermediate step may be needed to lead to clear subtraction understanding. |
| Column subtraction with regrouping | Begin with base 10 or Numicon. Move to pv counters, modelling the exchange of a ten into tten ones. Use the phrase 'take and make' for exchange. | Tens Ones 29 10 10 10 10 10 10 Children may draw base ten or PV counters and cross off. | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |



Year 4-6 Subtraction




| Objective & Strategy | Concrete | Pictorial | Abstract |
|---|---|---|---|
| Subtracting tens and ones Year 4 subtract with up to 4 digits. Introduce decimal subtraction through context of money | 234 - 179 | Children to draw pv counters and show their exchange—see Y3 | 2 x 5 4 - 1 5 6 2 1 1 9 2 |
| | Model process of exchange using Numicon, base ten and then move to PV counters. | | Use the phrase 'take and make' for exchange |
| Year 5- Subtract with at least 4 digits, including money and measures. Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal point. | As Year 4 | Children to draw pv counters and show their exchange—see Y3 | 13 1 10 3 16 - 2 1 2 8 2 8 9 2 8 Use zeros for 17 1 6 9 0 0 - 3 7 2 0 5 6 7 9 6 0 5 placeholders. |
| Year 6—Subtract with increasingly large and more complex numbers and decimal values. | | | "X" 8 10, 6 9 9 - 89, 9 4 9 - 60, 7 5 0 "X 10 '5 · 3 14 '1 9 kg - 36 · 08 0 kg - 69 · 33 9 kg |



Year 1 Multiplication










Year 2 Multiplication





| · | Concrete | Pictorial | Abstract |
|---|---|--|--|
| Double a 2-digit number | Model doubling using dienes and PV counters. 40 + 12 = 52 | Draw pictures and representations to show how to double numbers | Partition a number and then double each part before recombining it back together. 16 10 10 10 10 10 10 10 10 10 10 10 10 10 |
| Understand equal and non-equal groups | These are equal groups These are equal groups There are 5 equal groups. Each group has 3 cakes. | Make representations and drawings of equal groups I have 4 groups of 3. | |





| Objective & Strategy | Concrete | Pictorial | Abstract |
|-------------------------------|---|---|--|
| Multiplication is commutative | Create arrays using counters and cubes and Numicon. Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer. | Use representations of arrays to show different calculations and explore commutativity. 5 × 2 = 10 5 × 2 = 10 5 groups of 2 2 groups of 5 2, five times 5, two times | Use an array to write multiplication sentences and reinforce repeated addition. 00000 00000 5+5+5=15 3+3+3+3+3=15 5 x 3 = 15 3 x 5 = 15 |




Year 3 Multiplication



| Objective & Strategy | Concrete | Pictorial | Abstract |
|---------------------------------|---|---|--|
| Understand the 3 times table | Count in three using objects and representations of multiples of 3. 3 3 3 3 | 3 3 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | There are 12 wheels. 4 × 3 = 12 3 × 4 = 12 |
| Understand the 6 times table | We can double our 3 times table to find our 6 times table. 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 3 3 <td>12 x 3 = 36 6 x 6 = 36</td> | 12 x 3 = 36 6 x 6 = 36 |
| Understand the 9 times table | Count in nines using objects and representations of multiples of 9. Make links 9 being three groups of three. | 9 9 9 9 | There are 36 apples. 4 × 9 = 36 9 × 4 = 36 |

| Objective & Strategy | Concrete | Pictorial | Abstract |
|---------------------------------|---|---|---|
| Understand the 4 times table | We can double our 2 times table to get the 4 times table 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 2 2 | $12 \times 2 = 24$ $6 \times 2 = 24$ There are 20 wheels. $5 \times 4 = 20$ $4 \times 5 = 20$ |
| Understand the 8 times table | We can double our 4 times table to get the 8 times table 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 24 4 4 4 4 4 4 8 8 8 8 6 fours 3 eights | 6 x 4 = 24 3 x 8 = 24 |

| Divis | Divisibility rules in 'families' - 2, 4 and 8 | | |
|-------|---|--|--|
| 2 | A number is divisible by 2 if the ones digit is | | |
| | even. | | |
| 4 | If halving a number gives an even value, then | | |
| | the number is divisible by 4. | | |
| | and | | |
| | For numbers with more than two digits: if the | | |
| | final two digits are divisible by 4 then the | | |
| R PK | number is divisible by 4. | | |
| 8 | If halving a number twice gives an even value, | | |
| x2 | the number is divisible by 8. | | |






Year 4 Multiplication



| Objective & Strategy | Concrete | Pictorial | Abstract |
|---------------------------------|--|--|---|
| Understand the 7 times table | Children use representations which show groups of 7 including real life contexts. | Linear models show jumps of 7. The state of the state o | There are 14 players. 2 × 7 = 14 7 × 2 = 14 |



| Objective & Strategy | Concrete | Pictorial | Abstract |
|---|--|--|---|
| Multiply 3 digit numbers by 1 digit. (no exchange) | Use place value counters to show how we are finding groups of a number. We are multiplying by 3 so we need 3 rows 123 x3 = 369 hundreds tens ones | Children can represent their work with place value counters by drawing place value counters or Dienes. | 231 3 x 1 ones is three ones 3 x 3 tens is nine tens 3 x 2 hundreds is six hundreds |
| Multiply 3 digit numbers by 1 digit. (with exchange) | 224 x 3 hundreds tens ones | H T D 00 00000 0 H T D 00 00000 0 00 00000 0 500 + 20 + 2 =522 | 4 times 1 ones is 4 ones 241 X4 times 4 tens is 16 tens. I put 6 tens down and carry ten tens which is now a hundred. 4 times 2 hundreds is 8 hundreds. I add the hundred I have carried to make 9 hundreds. |



Year 5 Multiplication



| Objective & Strategy | Concrete | Pictorial | Abstract |
|-------------------------------------|--|--|--|
| Multiply 3 and 4 digits x 1 digit. | Children may continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. 3024 x 3 thousands hundreds ones ones ones ones ones ones ones one | Children may continue to draw their understanding using place value grids. | 3024 x 3 9072 |
| Multiply up to 4 digits by 2 digits | Manipulatives may still be used with the corresponding long multiplication modelled alongside. Begin with teen number x teen number. Progress to any 2 –4 digit number x 2 digit. | 10 100 80 30 24 | 18 x 3 on the first row (8 x 3 = 24, carrying the 2 for 20, then 1 x 3) 18 x 10 on the 2nd row. Show multiplying by 10 by putting zero in units first 100s 10s 1s 3 1 |



Year 6 Multiplication




| Objective & Strategy | Concrete | Pictorial | Abstract |
|--|----------|-----------|---|
| Multiply decimals up to2 decimal places by a single digit | | | 2.38 x 3 714 12 First we lay out the calculation Next, we write the decimal point in the answer (product). Finally, we carry out the multiplication. 3 x 8 hundredths is 24 hundredths 3 x 3 tenths is 9 tenths, add 2 tenths we carried is 11 tenths 3 x 3 ones is 6 ones, add 1 one we carried is 7 ones |
| Multiply up to 4 digit numbers by 2 digits. | | | 3 1 2 × 2 8 2 4 9 6 6 2 4 0 8 7 3 6 1 |



Year 1 Division





| Objective & Strategy | Concrete | Pictorial |
|---|--|--|
| | Children solve real life problems using real objects. | |
| | There are eight sweets. Daisy and Will share these equally. How many do they get each? | Children use pictures or shapes to share quantities. 8 shared between 2 is 4 |
| Understand division as sharing into equal groups Use White Rose ITPs for modelling | I have 10 cubes, can you share them equally in 2 groups? | |
| | There are 2 equal groups. Each group has 5. | 4 4 |
| | 10 | |



Year 2 Division



| Objective & Strategy | Concrete | Pictorial | Abstract |
|-------------------------------------|--|--|---|
| Division as sharing (partitive) | There are 20 conkers shared equally between 5 children. Each child gets 4 conkers. | +5 +5 +5 +5 | 20 ÷ 5 = 4 |
| Division as grouping (quotitive) | Use cubes, counters or real objects or to aid understanding. There are 15 biscuits, there are 5 in each bag. How many bags? | 3 fives +5 +5 +5 +5 5+5+5=15 15+5=3 3 fives -5 -5 -5 -5 -5 15+5=3 | 15 divided into groups of 5 is 3 15 ÷ 5 = 3 |

| Objective & strategy | Concrete | Pictorial | Abstract |
|---------------------------|----------|-----------|--|
| Understanding the inverse | | X | $3 \times 4 = 12$ $12 \div 4 = 3$ $4 \times 3 = 12$ $12 \div 3 = 4$ $2 \times 4 = 8$ $8 \div 2 = 4$ $8 \div 4 = 2$ $8 = 2 \times 4$ $8 = 4 \times 2$ $2 = 8 \div 4$ $4 = 8 \div 2$ Show all 8 related fact family sentences. |



Year 3 Division



| Objective & Strategy | Concrete | Pictorial | Abstract |
|---|--|--|--|
| Division with remainders. (partitive) | I divide 14 cakes between 3 plates. How are the cakes shared? | Draw dots and group them to divide an amount and clearly show a remainder. | Complete written divisions and show the remainder using r. $14 \div 3 = 4 r 2$ $\downarrow \qquad \qquad \downarrow$ |
| Division with remainders. (quotitive) | 13 eggs are put into boxes. Each box holds 3 eggs. How are the eggs boxed? | Children may draw representations to show their understanding. Use bar models to show division with remainders. 13 3 3 3 3 1 | 13 ÷ 3 = 4 r 1 |

| Divis | sibility rules in 'families' – 3, 6 and 9 |
|-------|--|
| 3 | For a number to be divisible by 3, the sum of the digits of the number must be divisible by 3. |
| 6 | For a number to be divisible by 6, the number must be divisible by both 2 and 3. |
| 9 | For a number to be divisible by 9, the sum of the digits of the number must be divisible by 9. |

| Divis | Divisibility rules in 'families' – 5 and 10 | | |
|-------|---|--|--|
| 5 | A number is divisible by 5 if the ones digit is 5 or 0. | | |
| 10 | A number is divisible by 10 if the ones digit is 0. | | |



Year 4 Division



| Objective & Strategy | Concrete | Pictorial | Abstract |
|---|---|--|--|
| Interpreting division with remainders. | Bracelets are made using 4 beads. There are 23 beads. How many bracelets can be made? How many beads left over? | Bar model representations may be used. 23 4 4 4 4 4 3 | 23 ÷ 4 = 5 r 3 |
| Interpreting division with remainders. | 4 scouts can fit in each tent. How many tents needed for 30 scouts? 4 4 4 4 4 4 4 4 4 4 | 30 4 4 4 4 4 4 2 | 30 ÷ 4 = 7 r 2 8 tents are needed. Discuss with pupils the need to round up in this context. |

| Objective & Strategy | Concrete | Pictorial | Abstract |
|--|----------|--|--|
| Divide 2 & 3 digit numbers by 1 digit Short Division | | Students use drawn diagrams with spots or circles to show their understanding. | Begin with divisions that divide equally with no remainder. 124 372 Move on to divisions with a remainder. Return to concrete if necessary. 138 r 3 4 5 2 7 |

| Divis | Divisibility rules in numerical order | | |
|-------|--|--|--|
| 2 | A number is divisible by 2 if the ones digit is even. | | |
| 3 | For a number to be divisible by 3, the sum of the digits of the number must be divisible by 3. | | |
| 4 | If halving a number gives an even value, then the number is divisible by 4. and For numbers with more than two digits: if the final two digits are divisible by 4 then the number is divisible by 4. | | |
| 5 | A number is divisible by 5 if the ones digit is 5 or 0. | | |

| Divisibility rules in numerical order | | |
|---------------------------------------|---|--|
| 6 | For a number to be divisible by 6, the number must | |
| | be divisible by both 2 and 3. | |
| 8 | If halving a number twice gives an even value, the | |
| | number is divisible by 8. | |
| 9 | For a number to be divisible by 9, the sum of the | |
| | digits of the number must be divisible by 9. | |
| 10 | A number is divisible by 10 if the ones digit is 0. | |



Year 5 Division



| Objective & Strategy | Concrete | Pictorial | Abstract |
|--|----------|-----------|--|
| Divide decimals by a single digit, using x and ÷ by 10 or 100 | | | Pupils understand the use of X and \div 10 to make connections. 6.3 \div 9 = 0.7 \star 10 6.3 \div 9 = 7 |
| Short division of decimals | | | Children build on work from Year 4, now with decimals. 0 · 4 · 1 6)2 · ² 4 6 |




Year 6 Division



Division of 2 digits by 2 digits

Using $x \& \div by 10$, 100 etc and relating this to a short division method.



$$\begin{array}{c|cccc}
0 & 2 \\
\hline
30 & 6 & 6
\end{array}$$

Long Division—2 digits divided by 2 digits

T O

30 does not go into 8. So, combine the 8 tens with the 5 ones. Γ (

5

30 goes into 85 twice, which is 60.

,

H T O

Subtract the 60 from the 85 and this leaves 25.

6 0

2 5

T C

2 r 25


5

5 0

2 5

85 divided by 30 is 2 with a remainder of 25

Long Division—3 digits divided by 2 digits



31 does not go into 4 (hundreds).

We combine the 4 hundreds with the tens to give 43 tens. 31 goes into 43 once which is 31, we record this underneath.

We subtract to show


there is no remainder

Subtract to find the remainder. 31 from 43 leaves 12.

times, which is 124.


next digit to give 124.

Long Division—progressing to 4 or more digits



23 goes into 49 twice which is 46. We subtract this from 49 to give a remainder of 3.

We combine the 3 left over with the next digit to give 34. 23 goes into 34 once with 11 remaining.



We combine the 11 with the next digit to make 115. 23 goes into 115 5 times with no remainder.

Long Division—procedural summary (remainder in the tens)

| 1. Divide. | 2. Multiply & subtract. | 3. Drop down the next digit. |
|---|---|---|
| t o | t o | t o |
| 2) <u>5</u> 8 | 2 2) 5 8 | 29 |
| | <u>- 4</u> | - 4 1 <mark>8</mark> |
| Two goes into 5 two times, or 5 tens + 2 = 2 whole tens but there is a remainder! | To find it, multiply 2 × 2 = 4, write that 4 under the five, and subtract to find the remainder of 1 ten. | Next, drop down the 8 of the ones next to the leftover 1 ten. You combine the remainder ten with 8 ones, and get 18. |

| 1. Divide. | 2. Multiply & subtract. | 3. Drop down the next digit. |
|------------------------------------|--|--|
| t o | t o | t o |
| 2 9 2 5 8 | 2)58 | 2)58 |
| <u>-4</u> | <u>-4</u> | <u>-4</u> |
| 10 | -18 | -18 |
| Divide 2 into 18. Place 9 into the | Multiply 0 × 2 = 49 write that 49 | The division is ever since there are |
| quotient. | Multiply 9 × 2 = 18, write that 18 under the 18, and subtract. | The division is over since there are no more digits in the dividend. The quotient is 29. |

Long Division—procedural summary (remainder in any of the digits)

| 1. Divide. | 2. Multiply & subtract. | 3. Drop down the next digit. |
|---|---|---|
| 2)278 | 2)278 -20 | 1 8 2) 2 7 8 -2 1 0 7 |
| Two goes into 2 one time, or 2 hundreds + 2 = 1 hundred. | Multiply 1 × 2 = 2, write that 2 under the two, and subtract to find the remainder of zero. | Next, drop down the 7 of the tens next to the zero. |
| Divide. | Multiply & subtract. | Drop down the next digit. |
| h t o 13 2)278 -2 07 Divide 2 into 7. Place 3 into the quotient. | $\begin{array}{c} h \text{ to} \\ 13 \\ 2)278 \\ -2 \\ \hline 07 \\ -6 \\ \hline 1 \\ \end{array}$ Multiply $3 \times 2 = 6$, write that 6 under the 7, and subtract to find the remainder of 1 ten. | Next, drop down the 8 of the ones next to the 1 leftover ten. |
| 1. Divide. | 2. Multiply & subtract. | 3. Drop down the next digit. |
| 13 <mark>9</mark> 2)278 -2 07 -6 | 139 2)278 -2 07 -6 18 -18 | 2)278 -207 -6 18 -18 |
| Divide 2 into 18. Place 9 into the quotient. | Multiply 9 × 2 = 18, write that 18 under the 18, and subtract to find the remainder of zero. | There are no more digits to drop down. The quotient is 139. |